AMENDMENTS TO THE CLAIMS

The claims listed below replace all prior versions and listings of claims in the application.

- 1. Canceled.
- Canceled.
- 3. (Currently Amended) A method for providing an image on a hydrophobic surface comprising consisting essentially of:

forming an aqueous inkjet ink composition comprising an aqueous emulsion polymer having a Tg of from 40 °C to 80 °C; a pigment; a surfactant selected from the group consisting of anionic surfactants, nonionic surfactants, and mixtures thereof; and a water-soluble surface agent;

jetting said ink composition onto said hydrophobic surface; and drying, or allowing to dry, said ink composition.

- 4. Canceled.
- 5. (Original) The method of claim 3 wherein said hydrophobic surface comprises polyvinyl chloride.
- 6. (Original) An image on a hydrophobic surface formed by the method of claim 3.
- 7. Canceled.
- 8. (Previously Presented) The method of claim 3 wherein the water-soluble surface agent is selected from the group of monoalkyl ethers of alkylene glycols, wherein the alkyl is selected from C1-C4 alkyl and the alkylene glycol is selected from mono-, di-, and tri- ethylene glycol and mono-, di-, and tri- propylene glycol; 2-pyrol; N-methylpyrollidone; sulfolane; and mixtures thereof.
- 9. Canceled.
- 10. (Previously Presented) The method of claim 3 wherein the amount of water-soluble surface agent in the ink is from 5% to 15%, by weight based on the total weight of the ink.
- 11. Canceled.
- 12. (Previously Presented) The method of claim 3 wherein the amount of surfactant is effective to provide a surface tension of the inkjet ink composition of from 22 dynes/cm to 36 dynes/cm.